



Yuasa Ficha Técnica

Yuasa YBX7027 - YBX7000 EFB Start Stop Plus

* Due to unprecedented demand following the easing of COVID-19 lockdown measures, this product may be supplied without a state of charge indicator and not conform to the level of roll over protection advertised. Product performance and quality are not affected by this. Please check battery labels for specification details.

Rendimiento

Tensión	12V
Capacidad (20 horas)	65Ah
Capacidad Arranque Amperios (EN1)	600A

Dimensiones

Largo	242mm
Ancho	175mm
Alto	190mm

Peso

Peso con Acido	16.6kg
----------------	--------



Características

Tipo de Caja	L2 DIN EFB
Tipo de terminal	T1
Fijación	B3
Indicador de Carga	✓
Asas	✓
Respiradero	✓
Sellada	SMF doble tapa


Tecnología

Regulador gases	✓
Tecnología	Ca/Ca
Separadores	PE
Prueba de vuelco de VDA	✓
Carga recomendada	4A
Performance Marking	W3-C2-V3-M1

Tipo de terminal

T1


Standard DIN Post



Positive Terminal

Negative Terminal

Esquema



Fijación

Fecha de emisión: 19/09/2024 - E&EO



Yuasa Technical Data Sheet

Yuasa YBX7027 - YBX7000 EFB Start Stop Plus Batteries

* Due to unprecedented demand following the easing of COVID-19 lockdown measures, this product may be supplied without a state of charge indicator and not conform to the level of roll over protection advertised. Product performance and quality are not affected by this. Please check battery labels for specification details.

Performance

Voltage	12V
Capacity (20-hour)	65Ah
Cold Cranking Amps (EN1)	600A

Dimensions

Length	242mm
Width	175mm
Height	190mm

Weights & Measures

Mean Weight with Acid	16.6kg
-----------------------	--------

Container Features

Case Type	L2 DIN EFB
Terminal Type	T1
Hold Down	B3
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Lid Type	SMF Double Lid

Technology

Flame Arrestor	✓
Technology	Ca/Ca
Separator	PE
VDA Roll Over Test	✓
Recommended Charge Rate	4A
Performance Marking	W3-C2-V3-M1

Terminal Type

Cell Assembly Layout

Battery Hold-down

Data Sheet generated on 19/09/2024 - E&OE